

Appendix

Loadings (*i.e.* rotation matrix) of the Principal Components Analysis for the PBI questionnaire

| | PC1 | PC2 |
|-------------------------|--------|--------|
| Maternal Care | 0.387 | -0.011 |
| Maternal Overprotection | -0.311 | 0.508 |
| Paternal Care | 0.358 | 0.526 |
| Paternal Overprotection | -0.256 | 0.112 |
| Maternal Favoritism | -0.385 | 0.319 |
| Paternal Favoritism | -0.316 | -0.503 |
| Maternal Devaluation | -0.420 | 0.248 |
| Paternal Devaluation | -0.368 | -0.192 |

Loadings (*i.e.* rotation matrix) of the Principal Components Analysis for the TEC questionnaire

| | PC1 | PC2 |
|---------------------|--------|--------|
| EMOTIONAL TRAUMA | -0.398 | -0.100 |
| Emotional Neglect | -0.366 | 0.037 |
| Emotional Abuse | -0.307 | -0.247 |
| SEXUAL TRAUMA | -0.268 | 0.508 |
| Sexual Abuse | -0.189 | 0.414 |
| Sexual Harassment | -0.260 | 0.485 |
| PHISICAL THREAT | -0.290 | -0.278 |
| Threat to life | 0.010 | -0.082 |
| Intense Pain | -0.235 | -0.083 |
| Physical Abuse | -0.308 | -0.179 |
| Bizzarre Punishment | -0.182 | -0.373 |
| GLOBAL SCALE | -0.413 | -0.040 |

Loadings (*i.e.* rotation matrix) of the Principal Components Analysis for the MMPI questionnaire.

| | PC1 | PC2 |
|------------------------|--------|--------|
| Hypochondriasis | 0.394 | 0.019 |
| Depression | 0.328 | -0.218 |
| Hysteria | 0.220 | 0.449 |
| Psychopathic Deviate | 0.366 | 0.307 |
| Masculinity/Femininity | -0.017 | 0.275 |
| Paranoia | 0.237 | 0.500 |
| Psychasthenia | 0.413 | -0.244 |
| Schizophrenia | 0.418 | -0.101 |
| Hypomania | 0.281 | 0.073 |
| Social Introversion | 0.273 | -0.505 |